

# PORCELAIN PAVERS COLLECTION

Volume 1

16, 20 & 30MM THICKNESSES




♥  
Love for Stone

PORCELAIN PAVERS COLLECTION


16mm



20mm



30mm



Thicknesses

Unfold a perfect amalgamation of functionality and durability with outdoor tiles that come in a range of thicknesses including 16mm, 20mm, and 30mm, offering versatility for various landscaping and architectural applications.

The 16mm thickness is ideal for lighter pedestrian areas while the 20mm option provides durability for moderate foot traffic and vehicular loads. For heavy-duty outdoor spaces such as driveways or commercial areas, the 30mm thickness offers

robustness and resilience against high impact and weight-bearing requirements. Look no further for a seamless transformation of the outdoors as you discover a seamless option with the Porcelain Pavers Collection by Our.



Versatile  
Durable  
Functional

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>



# Sizes Board

Introducing our exclusive collection of outdoor tiles, designed for versatility and style. Available in a range of sizes to suit any exterior style, from expansive patios to cozy balconies. Elevate your outdoor space with unmatched durability and timeless elegance.



## Architectural Colors

### OUTDOOR PORCELAIN PAVERS

Add a strong yet subtle personality to your outdoors with simple yet significant earthy colors that reflect the architectural elements. The timeless earthy color palette infuses the outdoors with solidity and durability.

The natural accent details create a visual interest when laid on outdoors, adding a contrasting elegance. These magnificent surfaces reflect the natural beauty and architectural elements very well.





Earthy  
Vibrance

# Why choose Porcelain Pavers for your outdoor area?



Non-Slip  
(R11) Surface



Frost Resistant



Does Not  
Absorb Water



D.I.Y. (Easy to Do it  
Yourself at Home)



Easy to Clean



Salt Resistant



Anti Bacterial



Resistant to  
Chemical Products



Fire Resistant



Resistant to  
Breaking Loads



Resists Sudden  
Temperature Changes



Easy to Install



Moss and Mould  
Resistant



Easy to Inspect  
and Replace



Impact  
Resistant



Resistant to  
Abrasion



Resistant to  
Staining



Resistant to  
Blemishes



Resistant to  
Deep Scratches



Sunlight-Resistant  
Colours



Safe from  
Thermal Shock



Durable



Acid Resistant





# Index

## PRODUCT RANGE

- MAGMA
- LAVA
- EARTHSTONE
- ROCK
- LIMESTONE
- CRYSTAL
- FOSSIL
- HAMMER STONE
- MUSTANG
- SAND
- QUARTZITE
- EVEREST
- SLATES
- GRANITES
- SMOKE
- SANDSTONES
- BELGIUM
- BLUESTONE
- MARBLE
- WOOD PLANKS

## ACCESSORIES

- COBBLES
- STEP-RISER
- EDGING
- COPING
- POOL DRAINS


## TECHNICAL SPECIFICATIONS



# Product Range




## Magma Series



## Lava Series




## Earthstone Series



## Rock Series




## Limestone Series




## Crystal Series




## Fossil Series



## Hammer Stone Series



## Mustang Series



BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>




# Product Range



## Sand Series



## Quartzite Series



## Everest Series



## Slates Series



## Granites Series



## Smoke Series



## Sandstones Series






# Product Range




## Belgium Series




## Bluestone Series




## Marble Series



## Wood Plank Series




## Accessories






# Magma Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 5



600x  
900mm  
Random : 10




800x  
800mm  
Random : 6



600x  
600mm  
Random : 10

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES


>

TECHNICAL  
SPECIFICATIONS

>



7221 Magma Silver



7224 Magma Anthracite





Preview of : **Magma Silver**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Magma Anthracite**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES




TECHNICAL  
SPECIFICATIONS






# Lava Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 5



600x  
900mm  
Random : 9




800x  
800mm  
Random : 5



600x  
600mm  
Random : 16

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>




1071      **Lava Beige**



1068      **Lava Grey**



1044      **Lava Dark Grey**



1100      **Lava Nero**





Preview of : **Lava Beige**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Lava Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Lava Dark Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>


ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Lava Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Earthstone Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 3



600x  
900mm  
Random : 4




800x  
800mm  
Random : 4



600x  
600mm  
Random : 5

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



72O4 Earthstone Beige



72O6 Earthstone Smoke



72O3 Earthstone Grey



72O2 Earthstone Nero





Preview of : **Earthstone Beige**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Earthstone Smoke**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Earthstone Grey**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Earthstone Nero**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES




TECHNICAL  
SPECIFICATIONS






# Rock Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :



600x  
1200mm  
Random : 3



600x  
900mm  
Random : 6




800x  
800mm  
Random : 4



600x  
600mm  
Random : 8

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES


>

TECHNICAL  
SPECIFICATIONS

>



4508      Rock Beige



4506      Rock Bronze



4502      Rock Bianco



4512      Rock Grey



4503      Rock Gris





Preview of : **Rock Beige**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Rock Bronze**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Rock Bianco**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Rock Grey**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Rock Gris**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Limestone Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 5



600x  
900mm  
Random : 5




800x  
800mm  
Random : 4



600x  
600mm  
Random : 7

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS


>



4517 Limestone Ivory



4520 Limestone Ash



4518 Limestone Grey





Preview of : **Limestone Ivory**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Limestone Ash**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS








Preview of : **Limestone Grey**

|                              |   |
|------------------------------|---|
| BENEFITS OF PORCELAIN PAVERS | > |
| INDEX                        | > |
| PRODUCT RANGE                | > |
| ACCESSORIES                  | > |
| TECHNICAL SPECIFICATIONS     | > |



# Crystal Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x  
1200mm  
Random : 3



600x  
900mm  
Random : 4




800x  
800mm  
Random : 3



600x  
600mm  
Random : 5

Thickness



DIY



FROST  
RESISTANCE




STAIN  
RESISTANCE



1001      Crystal Bianco



1002      Crystal Gris



1221      Crystal Nero





Preview of : **Crystal Bianco**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Crystal Gris**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Crystal Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Fossil Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 10



600x  
900mm  
Random : 9




800x  
800mm  
Random : 20



600x  
600mm  
Random : 24

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>




4523 Fossil Beige



4521 Fossil Gris



4525 Fossil Sky



4522 Fossil Nero





Preview of : **Fossil Beige**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Fossil Gris**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Fossil Sky**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Fossil Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>




# Hammer Stone Series


OUTDOOR PORCELAIN PAVERS




Sizes Available :



600x  
1200mm  
Random : 3



600x  
900mm  
Random : 3




800x  
800mm  
Random : 5



600x  
600mm  
Random : 5

Thickness




DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE



V2

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



1021 Hammer Stone  
Beige



1022 Hammer Stone  
Grey



1023 Hammer Stone  
Nero





Preview of : **Hammer Stone Beige**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Hammer Stone Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Hammer Stone Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Mustang Series

OUTDOOR PORCELAIN PAVERS




V3


Sizes Available :



600x  
1200mm  
Random :4



600x  
900mm  
Random : 8




800x  
800mm  
Random : 8



600x  
600mm  
Random : 8

Thickness




DIY




FROST  
RESISTANCE



STAIN  
RESISTANCE



1015 Mustang Grey



1014 Mustang Nero





Preview of : **Mustang Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Mustang Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Sand Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 1



600x  
900mm  
Random : 2




800x  
800mm  
Random : 3



600x  
600mm  
Random : 3

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



1006 Sand Pearl



1005 Sand Mocha





Preview of : **Sand Pearl**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Sand Mocha**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>



# Quartzite Series

OUTDOOR PORCELAIN PAVERS



V3


Sizes Available :




600x  
1200mm  
Random :14



600x  
900mm  
Random : 14




800x  
800mm  
Random : 14



600x  
600mm  
Random : 30

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE



BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



1011 Quartzite Pearl





Preview of : **Quartzite Pearl**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Everest Series

OUTDOOR PORCELAIN PAVERS




V3


Sizes Available :



600x  
1200mm  
Random : 5



600x  
900mm  
Random : 5




800x  
800mm  
Random : 10



600x  
600mm  
Random : 10

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>




1252 Everest Crema



1251 Everest Pearl



1253 Everest Gris



1254 Everest Nero





Preview of : **Everest Crema**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Everest Pearl**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Everest Gris**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Everest Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Slates Series

OUTDOOR PORCELAIN PAVERS




V4


Sizes Available :



600x  
1200mm



600x  
900mm




800x  
800mm



600x  
600mm

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE



BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS


>



1017 Random:  
Upto 8 African  
Slate



4223 Random:  
Upto 23 Grey  
Slate



6122 Random:  
Upto 14 Black  
Slate



1223 Random:  
Upto 14 Casted  
Slate



3660 Random:  
Upto 29 Copper  
Slate



1183 Random:  
Upto 30 Rust  
Pennsylvania  
Bluestone





Preview of : **African Slate**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Casted Slate**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Grey Slate**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Copper Slate**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>


ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Black Slate**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Rust Pennsylvania Bluestone**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES




TECHNICAL  
SPECIFICATIONS





# Granites Series

OUTDOOR PORCELAIN PAVERS



V1


Sizes Available :




600x  
1200mm



600x  
900mm




800x  
800mm



600x  
600mm

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE


>

ACCESSORIES


>

TECHNICAL  
SPECIFICATIONS


>



1027 Random : Upto 5 G-603



1026 Random : 1 G-654



1098 Random : 1 Basalt





Preview of : **G-603**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **G-654**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>


ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS


>

Preview of : **Basalt**




# Smoke Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random :5



600x  
900mm  
Random : 6




800x  
800mm  
Random : 5



600x  
600mm  
Random : 8

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE



BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



1391      Smoke Beige




1393      Smoke Sky




1392      Smoke Taupe



1394      Smoke Grey



1395      Smoke Tobac



1396      Smoke Nero





Preview of : **Smoke Beige**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Smoke Taupe**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Smoke Tobac**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Smoke Sky**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Smoke Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Smoke Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Sandstones Series

OUTDOOR PORCELAIN PAVERS




V4


Sizes Available :



600x  
1200mm



600x  
900mm




800x  
800mm



600x  
600mm

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE




1181 Random :  
Upto 60 Raveena



1090 Random :  
Upto 31 Sawn  
Buff



1084 Random :  
Upto 20 York  
Stone



1081 Random :  
Upto 31 Sagar  
Black



1061 Random :  
Upto 8 Kandla  
Grey  
Honed



1085 Random :  
Upto 44 Raj  
Green



1086 Random :  
Upto 31 Cedar  
Green



1083 Random :  
Upto 32 Buff



1043 Random :  
Upto 68 Kandla  
Grey

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Raveena**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Raj Green**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>

Preview of : **Sawn Buff**





Preview of : **Cedar Green**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **York Stone**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>

Preview of : **Buff**





Preview of : **Sagar Black**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Kandla Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>


ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Kandla Grey Honed**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Belgium Series

OUTDOOR PORCELAIN PAVERS




V2


Sizes Available :



600x  
1200mm  
Random : 8



600x  
900mm  
Random : 16




800x  
800mm  
Random : 16



600x  
600mm  
Random : 16

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES


>

TECHNICAL  
SPECIFICATIONS


>



1247 Belgium Gris



1248 Belgium Grafito



1249 Belgium Nero





Preview of : **Belgium Gris**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Belgium Grafito**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Belgium Nero**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>



# Bluestone Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x  
1200mm  
Random : 2



600x  
900mm  
Random : 3




800x  
800mm  
Random : 3



600x  
600mm  
Random : 4

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES


>

TECHNICAL  
SPECIFICATIONS

>



7241      Bluestone Light



7242      Bluestone Dark





Preview of : **Bluestone Light**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Bluestone Dark**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>


TECHNICAL  
SPECIFICATIONS

>




# Marble Series

OUTDOOR PORCELAIN PAVERS




V3


Sizes Available :



600x  
1200mm



600x  
900mm




800x  
800mm



600x  
600mm

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE

>

INDEX

>

PRODUCT  
RANGE


>

ACCESSORIES


>

TECHNICAL  
SPECIFICATIONS

>




1454 Random : 6 Statuario  
Gold



1451 Random : 12 Elegance  
Statuario





Preview of : **Statuario Gold**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Elegance Statuario**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES




TECHNICAL  
SPECIFICATIONS





# Wood Plank Series

OUTDOOR PORCELAIN PAVERS



V2

Sizes Available :



300x  
1200mm


Random :  
Upto 12



200x  
900mm

Random :  
Upto 24

Thickness



DIY



FROST  
RESISTANCE



STAIN  
RESISTANCE



BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



1103 Wood Grove  
Beige



1133 Deckwood  
Amber



1104 Wood Grove  
Dark



1134 Deckwood  
Caramel



1116 Wood Grove  
Light



1131 Deckwood  
Pearl



1102 Wood Grove  
Grey



1136 Deckwood  
Charcoal





Preview of : **Wood Grove Beige**

BENEFITS OF  
PORCELAIN  
PAVERS



INDEX



PRODUCT  
RANGE



ACCESSORIES



TECHNICAL  
SPECIFICATIONS







Preview of : **Wood Grove Dark**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Wood Grove Light**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Wood Grove Grey**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Deckwood Amber**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Deckwood Caramel**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Deckwood Pearl**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Preview of : **Deckwood Charcoal**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



# Accessories

OUTDOOR PORCELAIN PAVERS

## 1. Cobbles

Sizes Available :




100x  
100mm



100x  
200mm

## 2. Step-Riser



Sizes Available :

STEP

450x1200mm  
450x900mm  
300x1200mm  
300x900mm

RISER

150x1200mm  
150x900mm  
200x1200mm  
200x900mm



Half Bullnose



Full Bullnose


## 3. Edging

Size Available :



200x  
900mm


## 4. Coping



Sizes Available :

300x900mm  
300x1200mm


## 5. Pool Drains



Sizes Available :

200x600mm  
200x900mm









Crystal Bianco  
150x1200mm (Riser)

Crystal Bianco  
450x1200mm (Step)

Preview of : **Step-Riser**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Kandla Grey  
150x1200mm (Riser)

Kandla Grey  
450x1200mm (Step)

Preview of : **Step-Riser**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





Earthstone Grey  
150x900mm (Riser)

Earthstone Grey  
450x900mm (Step)

Preview of : **Step-Riser**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>


ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>






Preview of : **Step-Riser**

|                              |   |
|------------------------------|---|
| BENEFITS OF PORCELAIN PAVERS | > |
| INDEX                        | > |
| PRODUCT RANGE                | > |
| ACCESSORIES                  | > |
| TECHNICAL SPECIFICATIONS     | > |





BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>

Preview of : **Edging**





**Quartzite Pearl**  
**300x1200mm**  
**(Two Side Full Bullnose)**

Preview of : **Coping**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>


ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>





**Crystal Bianco  
200x900mm**

**Crystal Bianco  
300x900mm  
(One Side Full Bullnose)**

Preview of : **Coping & Pool Drains**

BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



# Technical Specifications

600x1200x20mm OUTDOOR PORCELAIN PAVERS

| TEST DESCRIPTION                                          | STANDARD TEST METHOD | STANDARD REQUIREMENTS                                   | OUR SPECIFICATIONS FOR PRODUCTION        |
|-----------------------------------------------------------|----------------------|---------------------------------------------------------|------------------------------------------|
| LENGH                                                     | BS EN ISO 10545-2    | ±0.60%                                                  | ±0.07% (±0.8MM)                          |
| WIDTH                                                     | BS EN ISO 10545-2    | ±0.60%                                                  | ±0.07%(±0.4MM)                           |
| THICKNESS                                                 | BS EN ISO 10545-2    | ±5%                                                     | ±2.5%(0.5MM)                             |
| STRAIGHTNESS OF SIDES                                     | BS EN ISO 10545-2    | ±0.5%                                                   | ±0.06%(±0.4MM)                           |
| RECTANGULARITY                                            | BS EN ISO 10545-2    | ±0.5%                                                   | ±0.12%                                   |
| "SURFACE FLATNESS: CENTRE CURVATURE"                      | BS EN ISO 10545-2    | ±0.5%                                                   | ±0.15%(+1.0MM)<br>±0.07%(-0.5 MM)        |
| "SURFACE FLATNESS :WARPAGE"                               | BS EN ISO 10545-2    | ±0.5%                                                   | +0.17% (+1.0MM)<br>+0.08%(+0.5MM)        |
| "SURFACE FLATNESS :WARPAGE"                               | BS EN ISO 10545-2    | ±0.5%                                                   | -0.15%(1.0MM)<br>-0.07%(-0.5 MM)         |
| WATER ABSORPTION                                          | BS EN ISO 10545-3    | E ≤ 0.5%                                                | E ≤ 0.4%                                 |
| BREAKING STRENGTH                                         | BS EN ISO 10545-4    | ≥ 1300 N                                                | ≥ 10600 N                                |
| MODULUS OF RUPTURE                                        | BS EN ISO 10545-4    | ≥ 35 N/MM²                                              | ≥ 45 N/MM²                               |
| "RESISTANCE OF SURFACE ABRASION"                          | BS EN ISO 10545-7    | "MANUFACTURE TO STATE ABRASION CLASS"                   | CLASS -IV                                |
| "COEFFICIENT OF LINER THERMAL EXPANSION"                  | BS EN ISO 10545-8    | 9x10 <sup>-6</sup> K <sup>-1</sup> MAX                  | ≤ 4x10 <sup>-6</sup> K <sup>-1</sup> MAX |
| RESISTANCE THERMAL SHOCK                                  | BS EN ISO 10545-9    | MINI 10 CYCLES                                          | FULLY RESISTANCE                         |
| CRAZING RESISTANCE                                        | BS EN ISO 10545-11   | "PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS" | FULLY RESISTANCE                         |
| "RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS | BS EN ISO 10545-13   | MINIMUM CLASS GC                                        | CLASS GA                                 |
| "RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"        | BS EN ISO 10545-13   | MINIMUM CLASS GLC                                       | CLASS GLA                                |
| RESISTANCE TO STAINS                                      | BS EN ISO 10545-14   | MINIMUM CLASS 3                                         | CLASS 4                                  |

# Technical Specifications

600x900x20mm OUTDOOR PORCELAIN PAVERS

| TEST DESCRIPTION                                          | STANDARD TEST METHOD | STANDARD REQUIREMENTS                                   | OUR SPECIFICATIONS FOR PRODUCTION        |
|-----------------------------------------------------------|----------------------|---------------------------------------------------------|------------------------------------------|
| LENGH                                                     | BS EN ISO 10545-2    | ±0.60%                                                  | ±0.07% (±0.4MM)                          |
| WIDTH                                                     | BS EN ISO 10545-2    | ±0.60%                                                  | ±0.07%(±0.6MM)                           |
| THICKNESS                                                 | BS EN ISO 10545-2    | ±5%                                                     | ±2.5%(0.5MM)                             |
| STRAIGHTNESS OF SIDES                                     | BS EN ISO 10545-2    | ±0.5%                                                   | ±0.06%(±0.4MM)                           |
| RECTANGULARITY                                            | BS EN ISO 10545-2    | ±0.5%                                                   | ±0.12%                                   |
| "SURFACE FLATNESS: CENTRE CURVATURE"                      | BS EN ISO 10545-2    | ±0.5%                                                   | ±0.15%(+1.0MM)<br>±0.07%(-0.5 MM)        |
| "SURFACE FLATNESS :WARPAGE"                               | BS EN ISO 10545-2    | ±0.5%                                                   | +0.17% (+1.0MM)<br>+0.08%(+0.5MM)        |
| "SURFACE FLATNESS :WARPAGE"                               | BS EN ISO 10545-2    | ±0.5%                                                   | -0.15%(1.0MM)<br>-0.07%(-0.5 MM)         |
| WATER ABSORPTION                                          | BS EN ISO 10545-3    | E ≤ 0.5%                                                | E ≤ 0.4%                                 |
| BREAKING STRENGTH                                         | BS EN ISO 10545-4    | ≥ 1300 N                                                | ≥ 10600 N                                |
| MODULUS OF RUPTURE                                        | BS EN ISO 10545-4    | ≥ 35 N/MM²                                              | ≥ 45 N/MM²                               |
| "RESISTANCE OF SURFACE ABRASION"                          | BS EN ISO 10545-7    | "MANUFACTURE TO STATE ABRASION CLASS"                   | CLASS -IV                                |
| "COEFFICIENT OF LINER THERMAL EXPANSION"                  | BS EN ISO 10545-8    | 9x10 <sup>-6</sup> K <sup>-1</sup> MAX                  | ≤ 4x10 <sup>-6</sup> K <sup>-1</sup> MAX |
| RESISTANCE THERMAL SHOCK                                  | BS EN ISO 10545-9    | MINI 10 CYCLES                                          | FULLY RESISTANCE                         |
| CRAZING RESISTANCE                                        | BS EN ISO 10545-11   | "PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS" | FULLY RESISTANCE                         |
| "RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS | BS EN ISO 10545-13   | MINIMUM CLASS GC                                        | CLASS GA                                 |
| "RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"        | BS EN ISO 10545-13   | MINIMUM CLASS GLC                                       | CLASS GLA                                |
| RESISTANCE TO STAINS                                      | BS EN ISO 10545-14   | MINIMUM CLASS 3                                         | CLASS 4                                  |



BENEFITS OF  
PORCELAIN  
PAVERS

>

INDEX

>

PRODUCT  
RANGE

>

ACCESSORIES

>

TECHNICAL  
SPECIFICATIONS

>



THANK YOU!